IX. PREMARKET NOTIFICATION SUMMARY KO22295

Submitted by: Vitrolife Sweden AB

Mölndalsvägen 30 SE-412 63 Gothenburg

SWEDEN

Contact Person: Mr. Eiler Anderson

Vitrolife Sweden AB Mölndalsvägen 30 SE-412 63 Gothenburg

SWEDEN

Date Prepared: July 11, 2002

Trade Name: G-RINSETM

<u>Common Name:</u> Assisted Reproduction Media

Classification Name: Reproductive Media and Supplements

(21 C.F.R. § 884.6180)

Predicate Device: ASPTM

<u>Description of the Device:</u> Bicarbonate buffered salt solution. For use after

pre-equilibration at +37°C and 6% CO₂.

Intended Use: Solution for use during In Vitro fertilization

procedures

Technological Characteristics: The technological characteristics of G-RINSETM

are essentially similar to those of the predicate device. The G-RINSE is a modification of the predicate device and formulation changes were made to improve the performance of the G-RINSE device. None of these differences raise

new questions of safety or effectiveness.

DEPARTMENT OF HEALTH & HUMAN SERVICES



SEP 1 2 2002

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

Vitrolife Sweden AB % Mr. Gary L. Yingling Kirkpatrick & Lockhart 1800 Massachusetts Avenue, NW WASHINGTON DC 20036-1800 Re: K022295

Trade/Device Name: G-RINSETM Assisted

Reproduction Media

Regulation Number: 21 CFR 884.6180 Regulation Name: Reproductive media

and supplements

Regulatory Class: II Product Code: 85 MQL Dated: July 11, 2002 Received: July 16, 2002

Dear Mr. Yingling:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at one of the following numbers, based on the regulation number at the top of this letter:

8xx.1xxx	(301) 594-4591
876.2xxx, 3xxx, 4xxx, 5xxx	(301) 594-4616
884.2xxx, 3xxx, 4xxx, 5xxx, 6xxx	(301) 594-4616
892.2xxx, 3xxx, 4xxx, 5xxx	(301) 594-4654
Other	(301) 594-4692

Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/dsma/dsmamain.html.

Sincerely yours,

Vancy C. Brogdon

Nancy C. Brogdon

Director, Division of Reproductive, Abdominal, and Radiological Devices

Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

X. INDICATIONS FOR USE STATEMENT

510(k) Number:

Device Name:

Indications For Use:	Solution for rinsing of contact materials and for washing of the cervix. Not for culture.	
Samo a lessan		
(Division Sign-Off) Division of Reproductive, Abdominal, and Radiological Devices 510(k) Number		
(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED) Concurrence of CDRH, Office of Device Evaluation (ODE)		
Prescription Use(Per 21 C.F.R. § 801.109)	OR ()ver-the Counter Use	

G-RINSE TM

Assisted Reproduction Media